U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE
INFORMATION DISCLOSURE
STATEMENT BY APPLICANT
1PE

ATTY. DOCKET NO.
21829/101 (EBC-008)
APPLICANT

SERIAL NO.

To Be Assigned C

(use several sheets if necessar)

Wei et al.

FILING DATE GROUP ART UNIT

Herewith

To Be Assigned

U.S. PATENT DOCUMENTS

	<u> </u>						
EXAMINER INITIAL	7	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPRO- PRIATE
ALL	- l	5,552,527	09/03/1996	Godiard et al.			
1	2	5,550,228	08/27/1996	Godiard et al.			·
	3	5,523,311	06/04/1996	Schurter et al.			FIVED
	4	5,494,684	02/27/1996	Cohen .		REC	FIAFO
	5	5,348,743	09/20/1994	Ryals et al.		JAN	2, 2, 2002
	6	5,260,271	11/09/1993	Blackburn et al.			
	7	5,244,658	09/14/1993	Parke		TECH CEN	FER 1600/290
	8	5,243,038	09/07/1993	Ferrari et al.			
	9	5,217,950	06/08/1993	Blackburn et al.			
ARL	- 10	5,173,403	12/22/1992	Tang			

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS O IF AP	N PRO-
Anx	- 11	WO 95/19443	07/20/95	WIPO	********			-
, , ,	12	WO 94/01546	01/20/94	WIPO			-	}
	13	WO 94/26782	11/24/94	WIPO			-	
	14	WO 98/32844	07/30/98	WIPO	_			-
ARV	-15 ·	WO 98/15547	04/16/98	WIPO			·	-

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

10	A STATE OF THE STA	16	Collmer et al., "Erwinia chyrsanthemi and Pseudomonas syringae: Plant Pathogens Trafficking in Extracellular Virulence Proteins,"				
113	1867		фр. 43-78				
	6 1	17	Frederick et al., "The WTS Water-Soaking Genes of Erwinia stewartii are Related to hrp Genes,"				
AT	Seventh International Symposium on Molecular Plant Microbe Interactions, Abstract No. 191 (June 1994) 18 Wei et al., "Proteinaceous Elicitors of the Hypersensitive Response from Xanthomonas campestris pv. glycines," Seventh International Symposium on Molecular Plant Microbe Interactions, Abstract No. 244 (June 1994)						
		18	Wei et al., "Proteinaceous Elicitors of the Hypersensitive Response from Xanthomonas campestris pv. glycines,"				
			Seventh International Symposium on Molecular Plant Microbe Interactions, Abstract No. 244 (June 1994)				
$-\Gamma$		19	Preston et al., "The HrpZ Proteins of Pseudomonas syringae pvs. syringae, glycinea, and tomato are Encoded by an Operon				
ah	/		Containing Yersinia ysc Homologs and Elicit the Hypersensitive Response in Tomato but not Soybean,"				
1114			Mol. Plant-Microbe Interact., 8(5):717-32 (1995)				
EXAMI	NER		DATE CONSIDERED 2 2				
	\mathcal{A}	1/1	Well 128/02				
EXAMI conside	NER Init	tial if c	itation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not of this form with next communication to applicant.				
		Jop)	от того от труповить.				

a)	ì		Sheet 2 of 11
i	U.S." DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NOT PE	SERIAL NO.
		21829/101 (EBQ-008)	To Be Assigned
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT JAN 1 5 2002	
ا ا	,	Wei et al.	
	(use several sheets if necessary)	FILING DATE	GROUP ART UNIT
	_(PTO-1449)	Herewith	To Be Assigned
	الم	ILS. PATENT DOCUMENTS	

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPRO- PRIATE
Anx	20	5,135,910	08/04/1992	Blackburn et al.			
	21	5,061,490	10/29/1991	Paau et al.	(_
	22	5,057,422	10/15/1991	Bol et al.			(
	23	4,931,581	06/05/1990	Schurter et al.		RFC	FIVER
	24	4,886,825	12/12/1989	Ruess et al.			
	25	4,851,223	07/25/1989	Sampson		JAN	2 2 2002
	26	4,740,593	04/26/1988	Gonzalez et al.		TECH CEN	TFR 1600/29
	27	4,601,842	07/22/1986	Caple et al.			
1/	28	4,597,972	07/01/1986	Taylor			
MIC	29	4,569,841	02/11/1986	Liu			

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI ON IF APF PRIA	N PRO-
ANK	30	EP 0 612 848 A3	02/21/94	ЕРО			0	-
	31	WO 93/23532	11/25/93	WIPO)			
	32	WO 99/07207	02/18/99	WIPO	-	~		
1	33	WO 99/07206	02/18/99	WIPO			<u> </u>	
ARC	-34	WO 98/24297	06/11/98	WIPO			-	

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

35	Bauer et al., "Erwinia chrysanthemi hrp Genes and their Involvement in Elicitation of the Hypersensitive Response							
in Tobacco," Sixth International Symposium on Molecular Plant Microbe Interactions, Abstract No. 146 (July 1992)								
36	tryer, L., "Enzymes are Highly Specific," <u>Biochemistry</u> , San Francisco: W.H. Freeman and Company, p. 116 (1975)							
All 37	Keen et al., "Inhibition of the Hypersensitive Reaction of Soybean Leaves to Incompatible <i>Pseudomonas</i> spp. by Blasticidin S, Streptomycin or Elevated Temperature." Physiological Plant Pathology, 18:325-337 (1981)							
EXAMINER: Initial if considered. Include co								
considered. Include co	by of this form with next communication to applicant.							

e)		Sheet 3 of 11
U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. OIPE	SERIAL NO.
INFORMATION DISCLOSURE	21829/101 (EBC-008)	To Be Assigned
STATEMENT BY APPLICANT	APPLICANT JAN 1 5 2002	
,	Wei et al.	
, (use several sheets if necessary)	FILING DATE	GROUP ART UNIT
_(PTO-1449)	Herewith	To Be Assigned

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPRO- PRIATE	
Ank	38	5,708,139	01/13/98	Collmer et al.				
7.7	39	5,850,015	12/15/98	Bauer et al.		RE	CEIVED	
- /	40	6,001,959	12/14/99	Bauer et al.			N 2 2 2002	
And	41	5,650,387	07/22/97	Wei et al.			NTER 1600/2900	
<u> </u>	FOREIGN PATENT DOCUMENTS							

FOREIGN PATENT DOCUMENTS

4	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS- LATION IF APPRO- PRIATE
# D 1 42	WO 98/54214	12/03/98	WIPO	<u> </u>		21-
43	WO 96/39802	12/19/96	WIPO			-1-
Aall 44	WO 98/37752	09/03/98	WIPO			

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

n -	1/	45	Lerner, R.A., "Tapping the Immunological Repertoire to Produce Antibodies of Predetermined Specificity," Nature,
AR	l		299:592-96 (1982)
1		46	Staskawicz et al., "Cloned Avirulence Gene of Pseudomonas Syringae pv. glycinea Determines Race-specific Incompatibility
			on Glycine max (L.) Merr.," Proc. Natl. Acad. Sci. USA, 81:6024-28 (1984)
7		47	Bauer et al., "Erwinia chrysanthemi Harpinech: An Elicitor of the Hypersensitive Response that Contributes to Soft-Rot
			Pathogenesis," MPMI, 8(4):484-91 (1995)
		48	Huang et al., "Characterization of the hrp Cluster from Pseudomonas syringae pv. syringae 61 and TnphoA Tagging of Genes
			Encoding Exported or Membrane-Spanning Hrp Proteins," Molec. Plant-Microbe Interact., 4(5):469-76 (1991)
		49	Huang et al., "The Pseudomonas syringae pv. syringae 61 hrpH Product, an Envelope Protein Required for Elicitation of the
			Hypersensitive Response in Plants," J. Bacteriol., 174(21):6878-85 (1992)
$\int_{\mathbb{R}^{n}}$		50	Bonas, U., "hrp Genes of Phytopathogenic Bacteria," Current Topics in Microbio., 192:79-98 (1994)
\			
Ro	1/	51	Arlat et al., "PopA1, A Protein Which Induces a Hypersensitivity-Like Response on Specific Protein Petunia Genotypes, is Secreted
1/4			via the Hrp Pathway of Pseudomonas solanacearum The EMBO J., 13(3):543-53 (1994)
EXAMI	VER /	_	DATE CONSIDERED /
	<u> [[]]</u>	111	1/1/ 8/28/0C
			itation considered, whether or not citation is in conformance with MPEP 69; Draw line through citation if not in conformance and not of this form with next communication to applicant.
201151001		copy	// I and to approach.

ام بم 	Sheet 4 of 11
ERIAL NO.	
o Be Assigned	

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

	* *	Sheet 4 of 11
ATTY. DOCKET NO. OIPE	SERIAL NO.	
21829/101 (EBC-008)	To Be Assigned	
APPLICANT JAN 1 5 2002		
Wei et al.		ľ
FILING DATE	GROUP ART UNIT	CEIVE
Herewith	To Be Assigned	
		AN 2 2 2002

JAN 2 2 7002

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

TECH CENTER 1600/2900

" .	52	Kessmann et al., "Induction of Systemic Acquired Disease Resistance in Plants By Chemicals," Ann. Rev. Phytopathol., 32:439-59
ME		(1994)
)	53	Kelman, A., "The Relationship of Pathogenicity in Pseudomonas solanacearum To Colony Appearance on a Tetrazolium Medium,"
/		Phytopathology, 44:693-95 (1954)
	54	Winstead et al., "Inoculation Techniques For Evaluating Resistance to Pseudomonas solanacearum," Phytopathology,
11		42:628-34 (1952)
	55	Ahl et al., "Iron Bound-Siderophores, Cyanic Acid, and Antibiotics Involved in Suppression of Thielaviopsis basiocola by a
		Pseudomonas fluorescens Strain," J. Phytopathology, 116:121-34 (1986)
	56	Anderson et al., "Responses of Bean to Root Colonization with Pseudomonas putida in a Hydroponic System," Phytopathology,
		75(9):992-95 (1985)
	57	Gardner et al., "Growth Promotion and Inhibition by Antibiotic-Producing Fluorescent Pseudomonads on Citrus Roots,"
\		Plant and Soil, 77:103-13 (1984)
	58	Kloepper, J.W., "Effect of Seed Piece Inoculation with Plant Growth-Promoting Rhizobacteria on Populations of Erwinia carotovora
		on Potato Roots and In Daughter Tubers," Phytopathology, 73(2):217-19 (1983)
	59	Atkinson et al., "The Hypersensitive Reaction of Tobacco to Pseudomonas syringae pv. pisi," Plant Physiol., 79:843-47 (1985)
	60	Huynh et al., "Bacterial Blight of Soybean: Regulation of a Pathogen Gene Determining Host Cultivar Specificity," Science,
		245:1374-77 (1986)
	61	Kloepper et al., "Plant Growth-Promoting Rhizobacteria on Canola (Rapeseed)," Plant Disease, 72(1):42-6 (1988)
	62	Kloepper et al., "Enhanced Plant Growth by Siderophores Produced by Plant Growth-Promoting Rhizobacteria," Nature,
		286:885-86 (1980)
	63	Kloepper et al., "Pseudomonas Siderophores: A Mechanism Explaining Disease-Suppressive Soils," Current Microbiology,
		4:317-20 (1980)
	64	Kloepper et al., "Emergence-Promoting Rhizobacteria: Description and Implications for Agriculture," In:
		Iron, Siderophores, and Plant Disease, Swinborne (ed), Plenum, NY, 155-64 (1986)
Mar	65	Kloepper et al., "Relationship of in vitro Antibiosis of Plant Growth-Promoting Rhizobacteria to Plant Growth and the
MK	1	Displacement of Root Microflora," Phytopathology, 71(10):1020-24 (1981)
AMINER	M	MELA SILVE
		itation considered, whether or not citation is in conformance with MPEP 69; Draw line through citation if not in conformance and not y of this form with next communication to applicant.

1		Sheet 5 of 11
U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.	SERIAL NO.
	21829/101 (EBC-008)	To Be Assigned
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT NAME OF THE PARTY OF	RECEIVER
r J	Wei et al.	JAN 2 2 202
• (use several sheets if necessary)	FILING DATE	GROUP ART UNIT
(PTO-1449)	Herewith	To Be Assigned CH CENTER 1600/0900

_/	011	66	Kloepper et al., "Effects of Rhizosphere Colonization by Plant Growth-Promoting Rhizobacteria on Potato Plant Development and
A	ll		Yield," Phytopathology, 70(11):1078-82 (1980)
-	1	67	Kloepper et al., "Plant Growth Promotion Mediated by Rhizosphere Bacterial Colonizers," In: The Rhizosphere and Plant Growth, -
			315-32, Keister et al. (eds), pp. 315-26 (1991)
		68	Lifshitz et al., "Growth Promotion of Canola (rapeseed) Seedlings by a Strain of Pseudomonas putida Under Gnotobiotic Conditions.
			Conditions," <u>Microbiol.</u> 33:390-95 (1987)
		69	Liu et al., "Induction of Systemic Resistance in Cucumber Against Bacterial Angular Leaf Spot by Plant Growth-Promoting
			Rhizobacteria," Phytopathology, 85(8):843-47 (1995)
		70	Loper et al., "Influence of Bacterial Sources of Indole-3-acetic Acid on Root Elongation of Sugar Beet,"
ľ			Phytopathology, 76(4):386-89 (1986)
		71	Schroth et al., "Disease-Suppressive Soil and Root-Colonizing Bacteria," Science, 216:1376-81 (1982)
$-\parallel$		72	Stutz et al., "Naturally Occurring Fluorescent Pseudomonads Involved Suppression of Black Root Rot of Tobacco,"
		,-	Phytopathology, 76(2):181-85 (1986)
		73	Lindgren et al., "Gene Cluster of <i>Pseudomonas Syringae</i> pv. "phaseolicola" Controls Pathogenicity of Bean Plants and
		,,,	Hypersensitivity on Nonhost Plants," J. Bacteriol., 168(2):512-22 (1986)
		74	Bauer et al., "Cloning of a Gene from Erwinia Amylovora Involved in Induction of Hypersensitivity and Pathogenicity," Plant
ľ			Pathogenic Bacteria, Proceedings of the Sixth International Conference on Plant Pathogenic Bacteria, Maryland, pp. 425-29 (1987)
		75	Wei et al., "Induction of Systemic Resistance of Cucumber to Colletotrichum orbiculare by Select Strains of Plant
			Growth-Promoting Rhizobacteria," Phytopathology, 31:1508-12 (1991)
1		76	Wei et al., "Induction of Systemic Resistance with Seed Treatment by PGPR Strains," pgs. 191-194
-		77	Weller, D.M., "Biological Control of Soilborne Plant Pathogens in the Rhizosphere with Bacteria," Ann. Rev. Phytopathol.,
12	X		26:379-407 (1988)
	•	78	Young et al., "PGPR: Is There a Relationship Between Plant Growth Regulators and the Stimulation of Plant Growth or
\prod			Biological Activity?, pgs. 182-186
1	۸ ,	79	Wei et al., "Induced Systemic Resistance by Select Plant Growth-Promoting Rhizobacteria Against Bacterial Wilt of
7	RK		Cucumber and the Beetle Vectors," Phytopathology, 86:1154, Abstract No. 313 (1995)
7	//	80	Wieringa-Brants et al., "Induced Resistance in Hypersensitive Tobacco Against Tobacco Mosaic Virus by Injection of
Y4			Intercellular Fluid from Tobacco Plants with Systemic Acquired Resistance, Phytopathology, 118:165-70 (1987)
AMI	NER	1	DATE CONSIDERED
	//	1//	4/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1
	$-\mathcal{H}$	VVV	tation considered whether or not citation is in conformance with MPEP 69; Draw line through citation if not in conformance and not

R440325.1

	Sheet 6 of 11
ATTY. DOCKET NO.	SERIAL NO.
21829/101 (EBC-008)	To Be Assigned
APPLICANT	
Wei et al. 2002 y	
FILING DATE	GROUP ART UNIT
Herewith Herewith	To Be Assigned

h n	81	Malamy et al., "Salicylic Acid: A Likely Endogenous Signal in the Resistance Response of Tobacco to Viral Infe
V		Science, 250:1002-04 (1990)
1-	82	Dean et al., "Immunisation Against Disease: The Plant Fights Back," pgs. 383-411 JAN 2. 2. 700
/		TECH CENTER 1600
26	83	Cameron et al., "Biologically Induced Systemic Acquired Resistance in Arabidopsis thaliana," The Plant Journal,
NIC	ł	5(5):715-25 (1994)
	84	Laby et al., "Structural and Functional Analysis of Erwinia amylovora Harpin, An Elicitor of the Plant Hypersensitive
1		Response," Phytopathology, 84:345 (1994)
	85	Van Gijsegem et al., "Evolutionary Conservation of Pathogenicity Determinants Among Plant and Animal
		Pathogenic Bacteria," Trends Micorbiol., 1:175-80 (1993)
	86	Kamoun, et al., "Extracellular Protein Elicitors from Phytophthora: Host-Specificity and Induction of Resistance to Bacterial and
		Fungal Phytopathogens," Molecular Plant-Microbe Interactions, 6(1):15-25 (1993)
	87	Baillieul, et al., "A New Elicitor of the Hypersensitive Response in Tobacco: A Fungal Glycoprotein Elicits Cell Death, Expression of
1		Defense Genes, Production of Salicylic Acid, and Induction of Systemic Acquired Resistance," The Plant Journal, 8(4):551-60 (1995)
	88	Collinge et al., "Plant Gene Expression in Response to Pathogens," <u>Plant Molecular Biology</u> , 9:389-410 (1987)
\ <u> </u>	89	Shatzman et al., "Expression, Identification, and Characterization of Recombinant Gene Products in Escherichia coli,"
	09	Methods in Enzymology, 152:661-73 (1987)
-	90	Tenhaken, et al., "Function of the Oxidative Burst in Hypersensitive Disease Resistance," Proc. Natl. Acad. Sci. USA,
	90	92:4158-63 (1995)
 	-	
1	91	Bonnet, et al., "Induction de nécroses foliaires, de protéines b et de résistance dans les interactions tabac <i>Phytophthora</i> ," Agronomie,
	-	6(9):829-37 (1986) Callitalli, et al. "Scalik Mediated Posterior of Toronto Assista Countries Massis Views II. Field Toronto Assista Countries Massis Views II. Field Toronto Assista
	92	Gallitelli, et al., "Satellite-Mediated Protection of Tomato Against Cucumber Mosaic Virus: II. Field Test Under Natural Epidemic
	02	Conditions in Southern Italy," Plant Disease, 75(1):93-5 (1991)
	93	Kang et al., "Control of Tomato Mosaic Disease by Interference of an Attenuated Virus," Res. Rept. RDA (Hort.),
-	-	27(1):17-26 (1985)
L	94	Montasser, et al., "Satellite-Mediated Protection of Tomato Against Cucumber Mosaic Virus: 1. Greenhouse Experiments and
7	 	Simulated Epidemic Conditions in the Field," Plant Disease, 75(1):86-92 (1991)
HA V	95	Marks, R.J., "Varietal Resistance to Potato Cyst Nematode," <u>Agricultural Entomology</u> , pp. 63-67 (1979)
MINER	<u> </u>	DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

(use several sheets if necessary)

(PTO-1449)

Herewith To Be Assigned

GROUP ART UNIT

FILING DATE

	96	Walton, et al., "Host-Selective Toxins and Disease Specificity: Perspectives and Progress," Annu. Rev. Phytopathol.,
14/6		31:275-303 (1993)
1	97	Atkinson, M.M., "Molecular Mechanisms of Pathogen Recognition by Plants," <u>Advances in Plant Pathology</u> , 10:36-64 (1993)
	98	Godiard, et al., "Differential Regulation in Tobacco Cell Suspensions of Genes Involved in Plant-Bacteria Interactions by Pathogen-
		Related Signals," Plant Molecular Biology, 17:409-13 (1991)
	99	Ricci, et al., "Structure and Activity of Proteins from Pathogenic Fungi Phytophthora Eliciting Necrosis and Acquired Resistance
		in Tobacco," <u>Eur. J. Biochem.</u> , 183:555-63 (1989)
	100	Lakhmatova, I.T., "Induction of Plant Resistance to Viral Diseases: Application of Vaccination," Sel'skokhozyaistvennaya Biologiya
		Biologiya 3:39-51 (1991)
	101	Biologicheskii Zhurnal Armenii, 31(3):305-09 (1978)
	102	Lakhmatova, I.T., "Using Biologically Active Substances to Induced Plant Resistance to Viruses Immunization,"
		Sel'skokhozyaistvennaya Biologiya, 3:13-22 (1992)
	103	Shields, R., "Towards Insect-Resistant Plants," Nature, 328:12-13 (1987)
	104	Huang et al., "Molecular Cloning of a Pseudomonas syringae pv. syringae Gene Cluster That Enables Pseudomonas fluorescens
		To Elicit the Hypersensitive Response in Tobacco Plants," <u>J. Bacteriol.</u> , 170(10):4748-56 (1988)
	105	Ricci, et al., "Differential Production of Parasiticein, an Elicitor of Necrosis and Resistance in Tobacco, by Isolates of Phytophthora
		Parasitica," Plant Pathology, 41:298-307 (1992)
	106	Honée, et al., "Molecular Characterization of the Interaction Between the Fungal Pathogen Cladosporium fulvum and Tomato,"
		Advances in Molecular Genetics of Plant-Microbe Interactions, 3:199-206 (1994)
	107	Keller, et al., "Responses of Tobacco to Elicitins, Proteins From Phytophthora Spp. Eliciting Acquired Resistance,"
		Advances in Molecular Genetics of Plant-Microbe Interactions, 3:327-32 (1994)
	108	Keen, et al., "Bacteria Expressing Avirulence Gene D Produce a Specific Elicitor of the Soybean Hypersensitive Reaction,"
		Molecular Plant-Microbe Interactions, 3(2):112-21 (1990)
	109	Bauer, et al., "Erwinia chrysanthemi hrp Genes and Their Involvement in Soft Rot Pathogenesis and Elicitation of the Hypersensitive
		Response," MPMI, 7(5):573-81 (1994)
7	110	Schottens-Toma et al., "Purification and Primary Structure of a Necrosis-inducing Peptide from the Apoplastic Fluids of Tomato
(h 1/1		

EXAMINER: Initial if citation considered, whether of not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Ank	111	Steinberger et al., "Creation and Complementation of Pathogenicity Mutants of Erwinia amylovora," Molecular Plant-Microbe
MC		<u>Interactions</u> , 1(3):135-44 (1988)
1	112	Beer et al., "The Hypersensitive Response is Elicited by Escherichia coli Containing a Cluster of Pathogenicity Genes
/		From Erwinia amylovora," Phytopathology, 79(10):1156 (Abstract 169) (1989)
	113	Hiatt et al., "Production of Antibodies in Transgenic Plants," Nature, 342:76-8 (1989)
	114	Hippe et al., "In Situ Localization of a Foreign Protein in Transgenic Plants by Immunoelectron Microscopy Following High Pressure
Ш		Freezing. Freeze Substitution and Low Temperature Embedding," <u>European Journal of Cell Biology</u> , 50:230-34(1989)
	115	Huang et al., "Isolation and Purification of a Factor from Pseudomonas solanacearum That Induces a Hypersensitive-like
		Response in Potato Cells," Molecular Plant-Microbe Interactions, 2(3):132-38 (1989)
	116	James et al., "Genetic Transformation of Apple (Malus pumila Mill.) Using a Disarmed Ti-binary Vector," Plant Cell Reports,
		7:658-61 (1989)
	117	Laby et al., "Cloning and Preliminary Characterization of an hrp Gene Cluster of Erwinia amylovora," Phytopathology,
		79(10):1211 (Abstract 607) (1989)
	118	Dow et al., "Extracellular Proteases from Xanthomonas campestris pv. Campestris, the Black Rot Pathogen," Applied and
		Environmental Microbiology, 56(10):2994-98 (1990)
	119	Walters et al., "Gene for Pathogenicity and Ability to Cause the Hypersensitive Reaction Cloned from Erwinia amylovora,"
1		Physiological and Molecular Plant Pathology, 36:509-21 (1990)
	120	Wu et al., "Cloning, Genetic Organization, and Characterization of a Structural Gene Encoding Bacillopeptidase F from
		Bacillus subtilis," The Journal of Biological Chemistry, 265(12):6845-50 (1990)
	121	Bauer et al., "Further Characterization of an hrp Gene Cluster of Erwinia amylovora," Molecular Plant-Microbe Interactions,
		4(5):493-99 (1991)
	122	Beer et al., "The hrp Gene Cluster of Erwinia amylovora," Advances in Molecular Genetics of Plant-Microbe Interactions,
1		1:53-60 (1991)
-	123	Benvenuto et al., "'Phytoantibodies': A General Vector for the Expression of Immunoglobulin Domains in Transgenic Plants,"
		<u>Plant Molecular Biology</u> , 17:865-74 (1991)
	124	Milat et al., "Physiological and Structural Changes in Tobacco Leaves Treated with Cryptogein, a Proteinaceous Elicitor
		From Phytophthora cryptogea," Phytopathology, 81(11):1364-68 (1991)
11	125	Ruberti et al., "A Novel Class of Plant Proteins Containing a Homeodomain with a Closely Linked Leucine Zipper Motif,"
		The EMBO Journal, 10(7):1787-91 (1991)
	126	Quigley et al., "Nucleotide Sequence and Expression of a Novel Glycine-Rich Protein Gene from Arabidopsis thaliana,"
//X//		Plant Molecular Biology, 17:949-52 (1991) /
AMINER	1)_/	DATE CONSIDERED 21
	40	MINTULAND 8/2/02
AMINER. I	itial if ci	itation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not

R440325.1

•			Sheet 9 of 11
U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.	OIPE	SERIAL NO.
	21829/101 (EBC-008)	0 2	To Be Assigned
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	APPLICANT	()	
	Wei et al.	JAN 1 5 2002 L	
(use several sheets if necessary)	FILING DATE	15	GROUP ART UNIT
(PTO-1449)	 Herewith	MADEMARK	To Be Assigned

Valdmann, T.A., "Monoclonal Antibodies in Diagnosis and Therapy," Science, 252:1657-62 (1991) Willis et al., "hrp Genes of Phytopathogenic Bacteria," Molecular Plant-Microbe Interactions, 4:(2) 132-38 (1991) Beer et al., "Are Harpins Universal Elicitors of the Hypersensitive Response of Phytopathogenic Bacteria?," Advances in Molecular Genetics of Plant-Microbe Interactions, 2:281-86 (1992) Laby et al., "Hybridization and Functional Complementation of the hrp Gene Cluster from Erwinia amylovora Strain Ea321 With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Fandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) Be et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993) Bonas, U., "Bacterial Home Goal by Harpins," Trends in Microbiology, 2:1-2 (1994)
Willis et al., "hrp Genes of Phytopathogenic Bacteria," Molecular Plant-Microbe Interactions, 4:(2) 132-38 (1991) Beer et al., "Are Harpins Universal Elicitors of the Hypersensitive Response of Phytopathogenic Bacteria?," Advances in Molecular Genetics of Plant-Microbe Interactions, 2:281-86 (1992) Laby et al., "Hybridization and Functional Complementation of the hrp Gene Cluster from Erwinia amylovora Strain Ea321 With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Bandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pas} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Beer et al., "Are Harpins Universal Elicitors of the Hypersensitive Response of Phytopathogenic Bacteria?," Advances in Molecular Genetics of Plant-Microbe Interactions, 2:281-86 (1992) Laby et al., "Hybridization and Functional Complementation of the hrp Gene Cluster from Erwinia amylovora Strain Ea321 With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Bandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Advances in Molecular Genetics of Plant-Microbe Interactions, 2:281-86 (1992) Laby et al., "Hybridization and Functional Complementation of the hrp Gene Cluster from Erwinia amylovora Strain Ea321 With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Bandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Laby et al., "Hybridization and Functional Complementation of the hrp Gene Cluster from Erwinia amylovora Strain Ea321 With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Bandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
With DNA of Other Bacteria," Molecular Plant-Microbe Interactions, 5(5):412-19 (1992) Sandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Icience, 257:85-8 (1992) Be et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Sandhu, "Protein Engineering of Antibodies," Crit. Rev. in Biotech., 12(5/6):437-62 (1992) Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Wei et al., "Harpin, Elicitor of the Hypersensitive Response Produced by the Plant Pathogen Erwinia amylovora," Science, 257:85-8 (1992) He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
de et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
He et al., "Pseudomonas syringae pv. syringae Harpin _{Pss} : A Protein that is Secreted via the Hrp Pathway and Elicits the Hypersensitive Response in Plants," Cell, 73:1255-66 (1993)
Response in Plants," <u>Cell</u> , 73:1255-66 (1993)
Bonas, U., "Bacterial Home Goal by Harpins," <u>Trends in Microbiology</u> , 2:1-2 (1994)
Boccara, et al., "Plant Defense Elicitor Protein Produced by Erwinia chrysanthemi," Mechanisms of Plant Defense Responses,
Pg. 166 (1993)
Qui et al., "Treatment of Tomato Seed with Harpin Enhances Germination and Growth and Induces Resistance to
Ralstonia solanacearum," Phytopathology, 87:6, S80 (1997) (abstract only)
Burr et al., "Increased Potato Yields by Treatment of Seedpieces with Specific Strains of Pseudomonas Fluorescens
And P. putida," Phytopathology, 68:1377-1383 (1978).
Ricci et al., "Proteinaceous Elicitors of Plant Defense Responses," B. Fritig eds., Mechanisms of Plant Defense Responses,
Wetherlands, pp. 121-130 (1993).
Keen et al., "Syringolide Elicitors Specified By Avirulence Gene D Alleles In Pseudomonas syringae," Advances in
Molecular Genetics of Plant-Microbe Interactions, 3:41-48 (1994).
Elessig et al., "The Salicylic Acid Signal In Plants," Plant Molecular Biology, 26:1439-1458 (1994).
DATE CONSIDERED 2
2

R440325.1

		Sheet 10 of 11
ATTY. DOCKET NO.	OIPE	SERIAL NO.
21829/101 (EBC-008)	(5)	To Be Assigned
APPLICANT	B JAN 1 5 2002 T	
Wei et al.		
FILING DATE	RADEMARKO	GROUP ART UNIT

To Be Assigned

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

Herewith

100	142	Bogdanove et al., "Unified Nomenclature For Broadly Conserved hrp Genes of Phytopathogenic Bacteria," Molecular	
M		<u>Microbiology</u> , 20(3):681-683 (1996).	
- 17	143	Bonnet et al., "Acquired Resistance Triggered By Elicitins In Tobacco and Other Plants," European Journal of Plant	
$\perp \! \! \! \! \! \! \! \! \perp$		Pathology, 102:181-192 (1996).	
Ш	144	Cui et al., "The RsmA Mutants of Erwinia carotovora subsp. carotovora Strain Ecc71 Overexpress hrpN _{Ecc} and Elicit a	
Ш		Hypersensitive Reaction-like Response in Tobacco Leaves," Molecular Plant-Microbe Interactions, 9(7):565-573 (1996).	
	145	Gopalan et al., "Bacterial Genes Involved in the Elicitation of Hypersensitive Response and Pathogenesis," Plant Disease,	
		80(6):604-610 (1996).	
	146	Hoffland et al., "Comparison of Systemic Resistance Induced by Avirulent and Nonpathogenic Pseudomonas Species,"	
		Phytopathology, 86(7):757-762 (1996).	
	147	Ryals et al., "Systemic Acquired Resistance," The Plant Cell, 8:1809-1819 (1996).	
	148	Wei et al., "Induced Systemic Resistance to Cucumber Dieseases and Increased Plant Growth by Plant Growth-Promoting	
		Rhizobacteria Under Field Conditions," Phytopathology, 86:221-224 (1996).	
	149	Wengelnik et al., "Expression and Localization of HrpA1, a Protein of Xanthomonas campestris pv. vesicatoria Essential for	
		Pathogenicity and Induction of the Hypersensitive Reaction," <u>Journal of Bacteriology</u> , 178:1061-1069 (1996).	
	150	Inbar et al., "Elicitors of Plant Defensive Systems Reduce Insect Densities and Disease Incidence," Journal of Chemical	
		Ecology, 24(1):135-149 (1998).	
	151	Jin et al., "A Truncated Fragment of Harpin _{Pss} Induces Systemic Resistance To Xanthomonas campetris pv. oryzae	
		In Rice," Physiological and Molecular Plant Pathology, 51:243-257 (1997).	
	152	Alfano et al., "Analysis of the Role of the Pseudomonas Syringae pv. Syringae HrpZ Harpin in Elicitation of the Hypersensitive	
		Response in Tobacco Using Functionally Non-Polar hrpZ Deletion Mutations, Truncated HrpZ Fragments, and hrmA Mutations,"	
\square		Molecular Microbiology, 19:715-728 (1996)	
	153	Linthorst et al., "Constitutive Expression of Pathogenesis-Related Proteins PR-1, GRP, and PR-S in Tobacco Has No Effect on	
		Virus Infection," The Plant Cell, 1:285-291 (1989)	
	154	Malamy et al., Salicylic Acid and Plant Disease Resistance," <u>The Plant Journal</u> , 2:643-654 (1992)	
1/1	1/ 155	McGurl et al., "Structure, Expression, and Antisense Inhibition of the Systemin Precursor Gene," Science, 255:1570-1573	
/ \ \/		(1992)	
MINE	· ///	MILON TO STEE CONSIDERED STORY	
		itation considered, whether or not citation is in conformance with MPEP 69; Draw line through citation if not in conformance and not of this form with next communication to applicant.	

R440325.1

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

			OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)		
		156	Wei et al., "hrpL Activates Erwinia amylovora hrp Gene Transcription and Is a Member of the ECF Subfamily of σ Factors,"		
£X			Journal of Bacteriology, 177:6201-6210 (1995)		
157		157	Nissinen et al., "Clavibacter Michiganensis Subsp. Sepedonicus Elicits a Hypersensitive Response in Tobacco and Secretes		
			Hypersensitive Response-Inducing Protein," Phytopathology, 87:678-684 (1997) (Abstract only)		
		158	Schulte et al., Expression of the Xanthomonas campestris pv. Vesicatoria hrp Gene Cluster, Which Determines Pathogenicity and		
_/			Hypersensitivity on Pepper and Tomato, Is Plant Inducible," <u>Journal of Bacteriology</u> , 174:815-823 (1992)		
		159	Yu, "Elicitins from <i>Phytophthora</i> and Basic Resistance in Tobacco," <u>Proc. Natl. Acad. Sci. USA</u> , 92:4088-4094 (1995)		
+		160	Wu et al., "Disease Resistance Conferred by Expression of a Gene Encoding H ₂ O ₂ -Generating Glucose Oxidase in Transgenic		
			Potato Plants," The Plant Cell, 7:1357-1368 (1995)		
		161	Kim et al., "HrpW of Erwinia Amylovora, a New Harpin That Contains a Domain Homologous to Pectate Lyases of a Distinct		
			Class," Journal of Bacteriology 180:5203-5210 (1998)		
$\parallel \parallel$		162	Charkowski et al., "The Pseudomonas syringae pv. Tomato HrpW Protein Has Domains Similar to Harpins and Pectate		
			Lyases and Can Elicit the Plant Hypersensitive Response and Bind to Pectate," Journal of Bacteriology 180:5211-5217		
			(1998)		
	163		Lorang et al., "Characterization of avrE from Pseudomonas syringae pv. Tomato: A hrp-Linked Avirulence Locus Consisting		
II			Of at Least Two Transcriptional Units," MPMI 8:49-57 (1995)		
\prod		164	Wei et al., "HrpI of Erwinia amylovora Functions in Secretion of Harpin and Is a Member of a New Protein Family,"		
			<u>J. Bacteriology</u> 175(24):7958-7967 (1993)		
gal 10	165	Swanson et al., "Isolation and Characterization of an HR Elicitor from Xanthomonas campestris," Phytopathology			
	_	88(9):S87 (1998)			
AMIN	IER	M	DATE CONSIDERED 8/28/07		
AMIN sidered	ER: Ini d. Inclu	itial if ci	itation considered, whether or not citation is in conformance with MPEP 69; Draw line through citation if not in conformance and not of this form with next communication to applicant.		

R440325.1